

# What type of organic molecule will be created if alanine bonded with many other amino acids such as serine and glycine

Ans.

The organic molecules that formed by the amino acids are known as proteins. Each amino acid binds with other amino acid with the help of peptide bond between amino group of one amino acid and carboxylic group of another amino acid.

Thus, 'when alanine binds with other amino acids, such as with glycine or serine, a protein molecule will formed.'

What happens in a buffer when the level of  $H^+$  ions in solution increases? It accepts  $OH^-$  ions.

It accepts  $H^+$  ions.

It donates  $H^+$  ions.

It destroys  $OH^-$  ions.

Our visual perception is biased because we do not perceive objects in isolation.

Which part of an atom is directly involved in chemical changes

The \_\_\_\_\_ was established to build dams and power plants to a region covering seven southern states

Express the ratio 14 inches to 3 feet as a fraction in simplest form

Match the number with its opposite. Match Term Definition

4.5 A) 5.4

?5.4 B) ?3.1

?1.3 C) ?4.5

3.1 D) 1.3

Periodically adding, changing and deleting file records is called file. A) Updating B) Upgrading C) Restructuring D) Renewing E) None of the above

Factor each expression  $5x + 5 \cdot 7$

Identify the point of view used in this passage. As he set foot on O'Connell bridge a puffball of smoke plumed up from the parapet. Brewery barge with export stout. England. Sea air sours it, I heard. Be interesting some day to get a pass through Hancock to see the brewery. Regular world in itself. Vats of porter, wonderful. Rats get in too. Drink themselves bloated as big as a collie floating. - from Ulysses by James Joyce

A football quarterback runs 12.1 m straight down the playing field in 2.50 s. He is then hit and pushed 3.00 m straight backward in 2.30 s. He breaks the tackle and runs straight forward another 18.3 m in 5.20 s. Calculate his average velocity for each of the three intervals and for the entire motion. (Define the positive

direction to be the direction of initial motion.)

Consider  $A=70 \text{ cm}\cdot\text{kg}$  and  $B=35 \text{ mg}\cdot\text{km}$  Please identify which operations are possible, and which are not. If the operation is possible, also check the given result.

Examples: You cannot add  $5\text{m}$  and  $3\text{s}$ , so "this operation is impossible." You can add  $5\text{m}$  and  $3\text{cm}$ , so "this operation is possible" - however, the answer  $8\text{m}$

would false. You can divide  $A$  by  $B$ , and get  $20$  You can multiply  $A$  and  $B$ , and get  $0.0245 \text{ m}\cdot\text{kg}$  You can add  $A$  and  $B^2$ , and get  $0.701225 \text{ m}\cdot\text{kg}$  You can

multiply  $A$  and  $B$ , and get  $0.0245 \text{ m}^2\text{kg}^2$  You can add  $A$  and  $B$ , and get  $0.735 \text{ m}\cdot\text{kg}$

Open discussion of gay themes and issues was found in the works of

Whats the definition of being ignored

The backyard was covered in late afternoon sunlight. The leaves dance in the trees, delighted that spring has finally arrived. The tulips were bright flashes of color like a child's crayon drawing. In the garden, the first Greenshields were pushing out of the soil to greet the warmth of the sun. Sitting on the porch swing, I

drink in the beauty of nature, I delicious treat. Which Fiction Element is the focus in this paragraph question

PLEASE HELP ME! In which direction does the electric field point at a position directly south of a positive charge?

- a. east
- b. south
- c. west
- d. north

Why can't you feel the force of attraction between you and mars?

Which of the following terms means the use of the power of public office for private gain

Which two particles make up most of the mass of a hydrogen-2 atom? (1) electron and neutron

- (2) electron and proton
- (3) proton and neutron
- (4) proton and positron

1. [Home](#)
2. [More Solution](#)